



Borchi® RapidDry is designed to be used with current drier systems (cobalt, zirconium, calcium) to significantly improve dry time at an economical cost. This drier additive not only rapidly decreases dry time, but depending on the type of resin formulation it is used in, Borchi® RapidDry provides other performance enhancements such as improved adverse drying, washability, and non-yellowing.

Performance results in alkyd resin formulations



Faster dry times in standard & adverse conditions



Brighter whites - less yellowing




Better washability



Economical

Significantly improved dry time when Borchi® RapidDry is used in standard drier systems


Dry Time @ 23°C 50% RH



Improved dry time in adverse conditions


Adverse Dry Time @ 10°C 80% RH


Conducted at 100 µm wet film thickness




Borchi® RapidDry delivers less yellowing and better cleanability in certain alkyd resin formulations

Excellent ability to withstand outdoor exposure





Typical household stains are easily removed







Borchi® RapidDry

Contact us to learn more and request the complete data package.



www.borchers.com/contact

PLEASE NOTE: As each customer's use of our product may be different, information we provide, including without limitation, recommendations, test results, samples, care/labeling/processing instructions or marketing advice, is provided in good faith but without warranty and without accepting any responsibility/liability. Each custom must test and be responsible for its own specific use, further processing, labeling, marketing, etc. All sales are exclusively subject to our standard terms of sale posted at www.milliken.com/terms (all additional/different terms are rejected) unless explicitly agreed otherwise in a signed writing. Borchers and Borchi are trademarks of Borchers form.

Milliken